

## PATENT COOPERATION TREATY

PCT

## NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Assistant Commissioner for Patents  
United States Patent and Trademark  
Office  
Box PCT  
Washington, D.C. 20231  
ETATS-UNIS D'AMERIQUE

in its capacity as elected Office

Date of mailing (day/month/year) 21 August 2000 (21.08.00)	
International application No. PCT/IB00/00118	Applicant's or agent's file reference PDC/AB/21180
International filing date (day/month/year) 21 January 2000 (21.01.00)	Priority date (day/month/year) 25 January 1999 (25.01.99)
Applicant LEBOUILL, Gilles	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:

05 July 2000 (05.07.00)

☐ in a notice effecting later election filed with the International Bureau on:2. The election ☒ was☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer  Olivia RANAIVOJAONA
Facsimile No.: (41-22) 740.14.35	Telephone No.: (41-22) 338.83.38

# PATENT COOPERATION TREATY

From the INTERNATIONAL SEARCHING AUTHORITY

<b>To:</b> <b>MATHYS &amp; SQUIRE</b> Attn. Cozens, paul D. 100 Gray's Inn Road London WC1X 8AL UNITED KINGDOM	<div style="text-align: center; font-weight: bold; font-size: 1.2em;">PCT</div> <div style="border: 1px solid black; padding: 5px; margin: 5px;"> <b>RECEIVED</b>          NOTIFICATION OF TRANSMITTAL OF          THE INTERNATIONAL SEARCH REPORT          OR THE DECLARATION  <div style="text-align: center;">27 MAR 2000</div> </div> REPLY DATE <u>28/5/2000</u> (PCT Rule 44.1) <i>Vol. Amend</i> DIARY ENTERED <u>REP OA-28/4</u>
Applicant's or agent's file reference <b>PDC/AB/21180</b>	Date of mailing (day/month/year) <b>23/03/2000</b>
International application No. <b>PCT/IB 00/ 00118</b>	International filing date (day/month/year) <b>21/01/2000</b>
Applicant <b>CANAL+ SOCIETE ANONYME et al.</b>	

1. ☒ The applicant is hereby notified that the International Search Report has been established and is transmitted herewith.

**Filing of amendments and statement under Article 19:**

The applicant is entitled, if he so wishes, to amend the claims of the International Application (see Rule 46):

**When?** The time limit for filing such amendments is normally 2 months from the date of transmittal of the International Search Report; however, for more details, see the notes on the accompanying sheet.

**Where?** Directly to the International Bureau of WIPO  
 34, chemin des Colombettes  
 1211 Geneva 20, Switzerland  
 Facsimile No.: (41-22) 740.14.35

For more detailed instructions, see the notes on the accompanying sheet.

2. ☐ The applicant is hereby notified that no International Search Report will be established and that the declaration under Article 17(2)(a) to that effect is transmitted herewith.

3. ☐ With regard to the protest against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that:

☐ the protest together with the decision thereon has been transmitted to the International Bureau together with the applicant's request to forward the texts of both the protest and the decision thereon to the designated Offices.

☐ no decision has been made yet on the protest; the applicant will be notified as soon as a decision is made.

4. **Further action(s):** The applicant is reminded of the following:

Shortly after 18 months from the priority date, the International application will be published by the International Bureau. If the applicant wishes to avoid or postpone publication, a notice of withdrawal of the International application, or of the priority claim, must reach the International Bureau as provided in Rules 90bis.1 and 90bis.3, respectively, before the completion of the technical preparations for international publication.

Within 19 months from the priority date, a demand for international preliminary examination must be filed if the applicant wishes to postpone the entry into the national phase until 30 months from the priority date (in some Offices even later).

Within 20 months from the priority date, the applicant must perform the prescribed acts for entry into the national phase before all designated Offices which have not been elected in the demand or in a later election within 19 months from the priority date or could not be elected because they are not bound by Chapter II.

Name and mailing address of the International Searching Authority European Patent Office, P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer <b>Theresia Van Deursen</b>
--	---

## NOTES TO FORM PCT/ISA/220

These Notes are intended to give the basic instructions concerning the filing of amendments under article 19. The Notes are based on the requirements of the Patent Cooperation Treaty, the Regulations and the Administrative Instructions under that Treaty. In case of discrepancy between these Notes and those requirements, the latter are applicable. For more detailed information, see also the PCT Applicant's Guide, a publication of WIPO.

In these Notes, "Article", "Rule", and "Section" refer to the provisions of the PCT, the PCT Regulations and the PCT Administrative Instructions respectively.

### INSTRUCTIONS CONCERNING AMENDMENTS UNDER ARTICLE 19

The applicant has, after having received the international search report, one opportunity to amend the claims of the international application. It should however be emphasized that, since all parts of the international application (claims, description and drawings) may be amended during the international preliminary examination procedure, there is usually no need to file amendments of the claims under Article 19 except where, e.g. the applicant wants the latter to be published for the purposes of provisional protection or has another reason for amending the claims before international publication. Furthermore, it should be emphasized that provisional protection is available in some States only.

#### What parts of the international application may be amended?

Under Article 19, only the claims may be amended.

During the international phase, the claims may also be amended (or further amended) under Article 34 before the International Preliminary Examining Authority. The description and drawings may only be amended under Article 34 before the International Examining Authority.

Upon entry into the national phase, all parts of the international application may be amended under Article 28 or, where applicable, Article 41.

#### When?

Within 2 months from the date of transmittal of the international search report or 16 months from the priority date, whichever time limit expires later. It should be noted, however, that the amendments will be considered as having been received on time if they are received by the International Bureau after the expiration of the applicable time limit but before the completion of the technical preparations for international publication (Rule 46.1).

#### Where not to file the amendments?

The amendments may only be filed with the International Bureau and not with the receiving Office or the International Searching Authority (Rule 46.2).

Where a demand for international preliminary examination has been/is filed, see below.

#### How?

Either by cancelling one or more entire claims, by adding one or more new claims or by amending the text of one or more of the claims as filed.

A replacement sheet must be submitted for each sheet of the claims which, on account of an amendment or amendments, differs from the sheet originally filed.

All the claims appearing on a replacement sheet must be numbered in Arabic numerals. Where a claim is cancelled, no renumbering of the other claims is required. In all cases where claims are renumbered, they must be renumbered consecutively (Administrative Instructions, Section 205(b)).

The amendments must be made in the language in which the international application is to be published.

#### What documents must/may accompany the amendments?

##### Letter (Section 205(b)):

The amendments must be submitted with a letter.

The letter will not be published with the international application and the amended claims. It should not be confused with the "Statement under Article 19(1)" (see below, under "Statement under Article 19(1)").

The letter must be in English or French, at the choice of the applicant. However, if the language of the international application is English, the letter must be in English; if the language of the international application is French, the letter must be in French.

## NOTES TO FORM PCT/ISA/220 (continued)

The letter must indicate the differences between the claims as filed and the claims as amended. It must, in particular, indicate, in connection with each claim appearing in the international application (it being understood that identical indications concerning several claims may be grouped), whether

- (i) the claim is unchanged;
- (ii) the claim is cancelled;
- (iii) the claim is new;
- (iv) the claim replaces one or more claims as filed;
- (v) the claim is the result of the division of a claim as filed.

The following examples illustrate the manner in which amendments must be explained in the accompanying letter:

1. [Where originally there were 48 claims and after amendment of some claims there are 51]:  
"Claims 1 to 29, 31, 32, 34, 35, 37 to 48 replaced by amended claims bearing the same numbers; claims 30, 33 and 36 unchanged; new claims 49 to 51 added."
2. [Where originally there were 15 claims and after amendment of all claims there are 11]:  
"Claims 1 to 15 replaced by amended claims 1 to 11."
3. [Where originally there were 14 claims and the amendments consist in cancelling some claims and in adding new claims]:  
"Claims 1 to 6 and 14 unchanged; claims 7 to 13 cancelled; new claims 15, 16 and 17 added." or  
"Claims 7 to 13 cancelled; new claims 15, 16 and 17 added; all other claims unchanged."
4. [Where various kinds of amendments are made]:  
"Claims 1-10 unchanged; claims 11 to 13, 18 and 19 cancelled; claims 14, 15 and 16 replaced by amended claim 14; claim 17 subdivided into amended claims 15, 16 and 17; new claims 20 and 21 added."

### "Statement under article 19(1)" (Rule 46.4)

The amendments may be accompanied by a statement explaining the amendments and indicating any impact that such amendments might have on the description and the drawings (which cannot be amended under Article 19(1)).

The statement will be published with the international application and the amended claims.

**It must be in the language in which the international application is to be published.**

It must be brief, not exceeding 500 words if in English or if translated into English.

It should not be confused with and does not replace the letter indicating the differences between the claims as filed and as amended. It must be filed on a separate sheet and must be identified as such by a heading, preferably by using the words "Statement under Article 19(1)."

It may not contain any disparaging comments on the international search report or the relevance of citations contained in that report. Reference to citations, relevant to a given claim, contained in the international search report may be made only in connection with an amendment of that claim.

### Consequence if a demand for international preliminary examination has already been filed

If, at the time of filing any amendments under Article 19, a demand for international preliminary examination has already been submitted, the applicant must preferably, at the same time of filing the amendments with the International Bureau, also file a copy of such amendments with the International Preliminary Examining Authority (see Rule 62.2(a), first sentence).

### Consequence with regard to translation of the international application for entry into the national phase

The applicant's attention is drawn to the fact that, where upon entry into the national phase, a translation of the claims as amended under Article 19 may have to be furnished to the designated/elected Offices, instead of, or in addition to, the translation of the claims as filed.

For further details on the requirements of each designated/elected Office, see Volume II of the PCT Applicant's Guide.

## PCT

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference <b>PDC/AB/21180</b>	<b>FOR FURTHER ACTION</b> see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. <b>PCT/IB 00/00118</b>	International filing date (day/month/year) <b>21/01/2000</b>	(Earliest) Priority Date (day/month/year) <b>25/01/1999</b>
Applicant <b>CANAL+ SOCIETE ANONYME et al.</b>		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 3 sheets.



It is also accompanied by a copy of each prior art document cited in this report.

## 1. Basis of the report

- a. With regard to the language, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.



the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

- b. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing:



contained in the international application in written form.



filed together with the international application in computer readable form.



furnished subsequently to this Authority in written form.



furnished subsequently to this Authority in computer readable form.



the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.



the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ Certain claims were found unsearchable (See Box I).

3. ☐ Unity of invention is lacking (see Box II).

## 4. With regard to the title,



the text is approved as submitted by the applicant.



the text has been established by this Authority to read as follows:

## 5. With regard to the abstract,



the text is approved as submitted by the applicant.



the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

## 6. The figure of the drawings to be published with the abstract is Figure No.

6

as suggested by the applicant.



because the applicant failed to suggest a figure.



because this figure better characterizes the invention.



None of the figures.

## INTERNATIONAL SEARCH REPORT

International Application No.

PCT/IB 00/00118

A. CLASSIFICATION OF SUBJECT MATTER  
 IPC 7 H04L29/06 H04L12/18 H04L29/12

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 877 499 A (SONY CORPORATION) 11 November 1998 (1998-11-11) abstract column 1, line 13 - line 56 column 4, line 13 - column 5, line 17	1-4, 18, 21-24
Y	column 55, line 39 - column 6, line 19	17, 33
Y	EP 0 866 611 A (CANAL+ SOCIETE ANONYME) 23 September 1998 (1998-09-23) abstract column 2, line 48 - column 3, line 43 column 5, line 50 - column 6, line 30	17, 33
A	EP 0 844 766 A (NOKIA TECHNOLOGY GMBH) 27 May 1998 (1998-05-27) abstract page 4, line 35 - page 5, line 15 -/-	1-34

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

## \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

13 March 2000

Date of mailing of the international search report

23/03/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
 NL - 2280 HV Rijswijk  
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
 Fax (+31-70) 340-3016

Authorized officer

Larcinese, C

# INTERNATIONAL SEARCH REPORT

International Application No.

PCT/IB 00/00118

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>EP 0 848 553 A (NEXTLEVELS SYSTEMS, INC.)  17 June 1998 (1998-06-17)  abstract  page 3, line 37 -page 4, line 6</p>	1-34

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IB 00/00118

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 877499	A	11-11-1998	CN 1199885 A	25-11-1998
			JP 11027322 A	29-01-1999
EP 866611	A	23-09-1998	WO 9843432 A	01-10-1998
			WO 9843421 A	01-10-1998
			NO 994544 A	22-11-1999
			AU 2770697 A	20-10-1998
			AU 7038198 A	20-10-1998
			WO 9843425 A	01-10-1998
			WO 9843426 A	01-10-1998
			WO 9843162 A	01-10-1998
			WO 9843431 A	01-10-1998
			WO 9843248 A	01-10-1998
			WO 9843165 A	01-10-1998
			WO 9843415 A	01-10-1998
			WO 9843172 A	01-10-1998
			WO 9843433 A	01-10-1998
			WO 9843427 A	01-10-1998
			WO 9843437 A	01-10-1998
			WO 9843167 A	01-10-1998
			WO 9843428 A	01-10-1998
			EP 0872798 A	21-10-1998
			EP 0866616 A	23-09-1998
			EP 0866613 A	23-09-1998
			EP 0968610 A	05-01-2000
			EP 0968609 A	05-01-2000
			EP 0968607 A	05-01-2000
			EP 0974229 A	26-01-2000
			EP 0974230 A	26-01-2000
			EP 0968468 A	05-01-2000
			EP 0968465 A	05-01-2000
			EP 0968602 A	05-01-2000
			EP 0968611 A	05-01-2000
			EP 0968608 A	05-01-2000
			EP 0968469 A	05-01-2000
			EP 0972406 A	19-01-2000
			NO 994529 A	19-11-1999
			NO 994530 A	19-11-1999
			NO 994531 A	19-11-1999
			NO 994532 A	19-11-1999
			NO 994533 A	22-11-1999
			NO 994534 A	22-11-1999
			NO 994535 A	22-11-1999
			NO 994536 A	22-11-1999
			NO 994537 A	22-11-1999
			NO 994538 A	22-11-1999
			NO 994539 A	22-11-1999
			NO 994540 A	22-11-1999
			NO 994541 A	22-11-1999
			NO 994542 A	22-11-1999
			NO 994543 A	22-11-1999
			ZA 9703605 A	10-09-1998
			ZA 9703606 A	07-09-1998
EP 844766	A	27-05-1998	FI 964640 A	28-07-1998
			FI 970186 A	17-07-1998
EP 848553	A	17-06-1998	US 6018764 A	25-01-2000



# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IB 00/00118

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 848553	A	CA 2223095 A	10-06-1998
		CN 1195938 A	14-10-1998
		JP 10247945 A	14-09-1998

# PATENT COOPERATION TREATY

NO 0044145

From the  
INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To:

Cozens, Paul D.  
MATHYS & SQUIRE  
100 Gray's Inn Road  
London WC1X 8AL  
GRANDE BRETAGNE

REP. IPER 26/5/01

PCT

## NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Rule 71.1)

Date of mailing  
(day/month/year)

24.04.2001

Applicant's or agent's file reference  
PDC/AB/21180

### IMPORTANT NOTIFICATION

International application No.  
PCT/IB00/00118

International filing date (day/month/year)  
21/01/2000

Priority date (day/month/year)  
25/01/1999

Applicant

CANAL+ SOCIETE ANONYME et al.

1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.


#### 4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/



European Patent Office  
D-80298 Munich  
Tel. +49 89 2399 - 0 Tx: 523656 epmu d  
Fax: +49 89 2399 - 4465

Authorized officer

Barrio Baranano, A

Tel. +49 89 2399-8621



# PATENT COOPERATION TREATY

## PCT

### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference <b>PDC/AB/21180</b>	<b>FOR FURTHER ACTION</b> See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. <b>PCT/IB00/00118</b>	International filing date (day/month/year) <b>21/01/2000</b>	Priority date (day/month/year) <b>25/01/1999</b>
International Patent Classification (IPC) or national classification and IPC <b>H04L29/06</b>		
Applicant <b>CANAL+ SOCIETE ANONYME et al.</b>		

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.



2. This REPORT consists of a total of 6 sheets, including this cover sheet.

- ☐ This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).

These annexes consist of a total of sheets.

3. This report contains indications relating to the following items:

- I ☒ Basis of the report
- II ☐ Priority
- III ☐ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
- IV ☐ Lack of unity of invention
- V ☒ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- VI ☐ Certain documents cited
- VII ☒ Certain defects in the international application
- VIII ☒ Certain observations on the international application

Date of submission of the demand  <b>05/07/2000</b>	Date of completion of this report  <b>24.04.2001</b>
Name and mailing address of the international preliminary examining authority:  <b>European Patent Office</b> <b>D-80298 Munich</b> <b>Tel. +49 89 2399 - 0 Tx: 523656 epmu d</b> <b>Fax: +49 89 2399 - 4465</b>	Authorized officer  <b>Palacián Lisa, M</b>  Telephone No. +49 89 2399 8265 <div style="text-align: right;">  </div>

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IB00/00118

## I. Basis of the report

1. With regard to the **elements** of the international application (*Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)*):  
Description, pages:

1-23 as originally filed

### Claims, No.:

1-34 as originally filed

### Drawings, sheets:

1/6-6/6 as originally filed

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language: , which is:

- ☐ the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:

- ☐ the description, pages:
- ☐ the claims, Nos.:

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IB00/00118

☐ the drawings, sheets:

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

*(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)*

6. Additional observations, if necessary:

## V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

### 1. Statement

Novelty (N)	Yes:	Claims	7-16,26-32
	No:	Claims	1-6,17-25,33-34
Inventive step (IS)	Yes:	Claims	
	No:	Claims	1-34
Industrial applicability (IA)	Yes:	Claims	1-34
	No:	Claims	

2. Citations and explanations  
**see separate sheet**

## VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted:  
**see separate sheet**

## VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:  
**see separate sheet**

Reference is made to the following document:

D1: EP-A-0 877 499

**Re Item V**

**Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**

1. Claim 1 does not meet the requirement of novelty, Article 33(2) PCT.
  - 1.1 Document D1 discloses a method of transmission of digital information in a digital broadcast system comprising a central transmission station and at least one decoder (see, e.g. column 1, lines 3-12). The central station transmits at least one transport stream comprising a stream of packets encapsulating data sections within their payloads (see, e.g. column 3, lines 45-54; column 6, line 25 to column 7, line 33; Figure 4). At least one encapsulated section includes an access control address used to control the reception thereof by at least one decoder (see, e.g. column 6, lines 44-51). The access control address is defined by the central transmission station and communicated to said at least one decoder in an address assignment message (see, e.g. column 5, lines 23-38).

In the disclosure of D1, "the data receiving device accesses an authentication server on the Internet managed by the digital satellite broadcasting service provider, and obtains the IP address allocated to each receiving device used on the broadcast network". Therefore, D1 discloses the feature of an access control address being defined by the central transmission station. In case the feature of the central transmission station sending the address would have been included in the independent claims, this would have not been considered as meeting the requirement of inventive step.

2. Independent claim 19 comprises the same method features as claim 1 but applied to the communication of datagram packets in a digital communication network including at least a medium access control address and an Internet protocol address. D1 also discloses this features (see, e.g. column 5, lines 42-54; column 5, lines 36-

43; Figure 4). Independent claim 19 contains the feature of dynamically assigning access control addresses, but D1 discloses that both the IP address on the Internet and the IP address on the broadcasting network are obtained in the process of PPP connection to the Internet provider (see column 5, lines 25-34), i.e. every single session. The attention of the Applicant is drawn to the fact that independent claims 1 and 21 do not contain this feature.

Therefore, the subject-matter of claim 19 is also not new (Article 33(2) PCT).

3. The above objection (see point 1) is also applied to independent claim 21, because it contains the same features as claim 1 in terms of the corresponding apparatus features.
4. Moreover, it should be noted that even if novelty of claims 1, 19 and 21 could be argued, based on minor differences between the features of these claims and those disclosed in D1, the subject-matter of these claims would not involve an inventive step, Article 33(3) PCT, having regard to the disclosure of D1.
5. Independent claims 18, 20 and 34 do not contain any further feature (see also point 1, section VIII) which meet the requirements of Article 33(2) and (3) PCT.
6. The dependent claims do not contain any additional feature which, in combination with the independent claims, meet the requirements of novelty and inventive step. All these features are either known from D1 (use of Internet protocol data and Internet protocol addresses, claims 2 and 22; access control addresses communicated via a telecommunications network, claims 3 and 23; use of access control address requests, claims 4 and 24; address assignment message communicated via a telecommunications network, claims 5 and 25; address request message containing an Internet protocol number identifying the decoder, claim 6; encryption of packet payloads, claims 17 and 33) or are common measures (address request message containing an operator identity value associated with the subscription of the owner of the decoder, claim 7; address request message indicating unicast or multicast mode, claim 8; use of unique access control addresses and shared control addresses, claims 9 and 26; addresses dynamically assigned, claims 10 and 27; indication of whether the decoder will remain connected after the address request

message, claim 11; address assignment message including information to select a packet transport stream, claims 12 and 28; address assignment message including information to select a service, claims 13 and 29; address assignment message identifying data streams, claims 14 and 30; central transmission station dynamically controlling which transport packet is used for the decoder, claims 15 and 31; central transmission station dynamically controlling which transport packet stream is used to carry encapsulated packet data, claims 16 and 32).

**Re Item VII**

**Certain defects in the international application**

1. The independent claims are not in the two-part form as required by Rule 6.3(b) PCT, whereby the features already disclosed in document D1 should have been placed in the preamble.
2. Reference signs in parentheses should have been inserted in the claims to increase their intelligibility (Rule 6.2(b) PCT). This applies to both the preamble and characterising portion.
3. To meet the requirements of Rule 5.1(a)(ii) PCT, the document D1 should have been identified in the description and its relevant content should be briefly indicated.

**Re Item VIII**

**Certain observations on the international application**

1. Claims 18, 20 and 34 are not allowable because they do not meet the requirements of Article 6 PCT in that the matter for which protection is sought is not clearly defined because the claims do not contain any technical features. The definition of the matter for which protection is sought should be in terms of the technical features of the invention (Rule 6.3(a) PCT).
2. To meet the requirement of conciseness, Article 6 PCT, a single independent claim in each category (method and apparatus) should have been filed.



# PATENT COOPERATION TREATY

From the:  
INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY


## PCT

### WRITTEN OPINION

(PCT Rule 66)

To:

Cozens, Paul D.  
MATHYS & SQUIRE  
100 Gray's Inn Road  
London WC1X 8AL  
GRANDE BRETAGNE



Date of mailing  
(day/month/year)

13.12.2000

Applicant's or agent's file reference

PDC/AB/21180

**REPLY DUE**

**within 3 month(s)**  
from the above date of mailing

International application No.

PCT/IB00/00118

International filing date (day/month/year)

21/01/2000

Priority date (day/month/year)

25/01/1999

International Patent Classification (IPC) or both national classification and IPC

H04L29/06

Applicant

CANAL+ SOCIETE ANONYME et al.

1. This written opinion is the **first** drawn up by this International Preliminary Examining Authority.
2. This opinion contains indications relating to the following items:
  - I ☒ Basis of the opinion
  - II ☐ Priority
  - III ☐ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
  - IV ☐ Lack of unity of invention
  - V ☒ Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
  - VI ☐ Certain document cited
  - VII ☒ Certain defects in the international application
  - VIII ☒ Certain observations on the international application
3. The applicant is hereby **invited to reply** to this opinion.
 

**When?** See the time limit indicated above. The applicant may, before the expiration of that time limit, request this Authority to grant an extension, see Rule 66.2(d).

**How?** By submitting a written reply, accompanied, where appropriate, by amendments, according to Rule 66.3. For the form and the language of the amendments, see Rules 66.8 and 66.9.

**Also:** For an additional opportunity to submit amendments, see Rule 66.4.  
For the examiner's obligation to consider amendments and/or arguments, see Rule 66.4 bis.  
For an informal communication with the examiner, see Rule 66.6.

**If no reply is filed,** the international preliminary examination report will be established on the basis of this opinion.
4. The final date by which the international preliminary examination report must be established according to Rule 69.2 is: 25/05/2001.

Name and mailing address of the international preliminary examining authority:

 European Patent Office  
D-80298 Munich  
Tel. +49 89 2399 - 0 Tx: 523656 epmu d  
Fax: +49 89 2399 - 4465

Authorized officer / Examiner

Palacián Lisa, M

Formalities officer (incl. extension of time limits)

Saavedra Martinez, V  
Telephone No. +49 89 2399 8621



**I. Basis of the opinion**

1. This opinion has been drawn on the basis of (*substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this opinion as "originally filed".*):

**Description, pages:**

1-23 as originally filed

**Claims, No.:**

1-34 as originally filed

**Drawings, sheets:**

1/6-6/6 as originally filed

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language: , which is:

- ☐ the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:

- ☐ the description, pages:
- ☐ the claims, Nos.:

☐ the drawings, sheets:

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

*(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)*

6. Additional observations, if necessary:

**V. Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**

1. Statement

Novelty (N) Claims 1-6, 17-25, 33-34

Inventive step (IS) Claims 7-16, 26-32

Industrial applicability (IA) Claims

2. Citations and explanations  
**see separate sheet**

**VII. Certain defects in the international application**

The following defects in the form or contents of the international application have been noted:  
**see separate sheet**

**VIII. Certain observations on the international application**

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:  
**see separate sheet**

Reference is made to the following document:

D1: EP-A-0 877 499

**Re Item V**

**Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**

1. Claim 1 does not meet the requirement of novelty, Article 33(2) PCT.
  - 1.1 Document D1 discloses a method of transmission of digital information in a digital broadcast system comprising a central transmission station and at least one decoder (see, e.g. column 1, lines 3-12). The central station transmits at least one transport stream comprising a stream of packets encapsulating data sections within their payloads (see, e.g. column 3, lines 45-54; column 6, line 25 to column 7, line 33; Figure 4). At least one encapsulated section includes an access control address used to control the reception thereof by at least one decoder (see, e.g. column 6, lines 44-51). The access control address is defined by the central transmission station and communicated to said at least one decoder in an address assignment message (see, e.g. column 5, lines 23-38).
2. Independent claim 19 comprises the same method features as claim 1 but applied to the communication of datagram packets in a digital communication network including at least a medium access control address and an internet protocol address. D1 also discloses this features (see, e.g. column 5, lines 42-54; column 5, lines 36-43; Figure 4). Therefore, the subject-matter of claim 19 is also not new (Article 33(2) PCT).
3. The above objection (see point 1) is also applied to independent claim 21, because it contains the same features as claim 1 in terms of the corresponding apparatus features.
4. Moreover, it should be noted that even if novelty of claims 1, 19 and 21 could be argued, based on minor differences between the features of these claims and those

disclosed in D1, the subject-matter of these claims would not involve an inventive step, Article 33(3) PCT, having regard to the disclosure of D1.

5. Independent claims 18, 20 and 34 do not contain any further feature (see also point 1, section VIII) which meet the requirements of Article 33(2) and (3) PCT.
6. The dependent claims do not contain any additional feature which, in combination with the independent claims, meet the requirements of novelty and inventive step. All these features are either known from D1 (use of internet protocol data and internet protocol addresses, claims 2 and 22; access control addresses communicated via a telecommunications network, claims 3 and 23; use of access control address requests, claims 4 and 24; address assignment message communicated via a telecommunications network, claims 5 and 25; address request message containing an internet protocol number identifying the decoder, claim 6; encryption of packet payloads, claims 17 and 33) or are common measures (address request message containing an operator identity value associated with the subscription of the owner of the decoder, claim 7; address request message indicating unicast or multicast mode, claim 8; use of unique access control addresses and shared control addresses, claims 9 and 26; addresses dynamically assigned, claims 10 and 27; indication of whether the decoder will remain connected after the address request message, claim 11; address assignment message including information to select a packet transport stream, claims 12 and 28; address assignment message including information to select a service, claims 13 and 29; address assignment message identifying data streams, claims 14 and 30; central transmission station dynamically controlling which transport packet is used for the decoder, claims 15 and 31; central transmission station dynamically controlling which transport packet stream is used to carry encapsulated packet data, claims 16 and 32).

### **Re Item VII**

#### **Certain defects in the international application**

1. If new independent claims are filed, they should be in the two-part form as required by Rule 6.3(b) PCT, whereby the features already disclosed in document D1 should be placed in the preamble.

2. Reference signs in parentheses should be inserted in the claims to increase their intelligibility (Rule 6.2(b) PCT). This applies to both the preamble and characterising portion.
3. To meet the requirements of Rule 5.1(a)(ii) PCT, the document D1 should be identified in the description and its relevant content should be briefly indicated.
4. When filing amended claims the applicant should at the same time bring the description into conformity with the amended independent claims, Rule 5.1(a)(iii).
5. In order to facilitate the examination of the conformity of the amended application with the requirements of Article 34(2)(b) PCT, the applicant is requested to clearly identify the amendments carried out, no matter whether they concern amendments by addition, replacement or deletion, and to indicate the passages of the application as filed on which these amendments are based (see also Rule 66.8(a) PCT).

If the applicant regards it as appropriate these indications could be submitted in handwritten form on a copy of the relevant parts of the application as filed.

#### **Re Item VIII**

#### **Certain observations on the international application**

1. Claims 18, 20 and 34 are not allowable because they do not meet the requirements of Article 6 PCT in that the matter for which protection is sought is not clearly defined because the claims do not contain any technical features. The definition of the matter for which protection is sought should be in terms of the technical features of the invention (Rule 6.3(a) PCT).
2. To meet the requirement of conciseness, Article 6 PCT, a single independent claim in each category (method and apparatus) should be filed.



✉ EPA/EPO/OEB  
D-80298 München  
☎ +49 89 2399-0  
TX 523 656 epmu d  
FAX +49 89 2399-4465

Europäisches  
Patentamt

Generaldirektion 2

European  
Patent Office

Directorate General 2

Office européen  
des brevets

Direction Générale 2

## Correspondence with the EPO on PCT Chapter II demands

In order to ensure that your PCT Chapter II demand is dealt with as promptly as possible you are requested to use the enclosed self-adhesive labels with any correspondence relating to the demand sent to the Munich Office.

One of these labels should be affixed to a prominent place in the upper part of the letter or form etc. which you are filing.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		



### ADDRESS ASSIGNMENT IN A DIGITAL TRANSMISSION SYSTEM

5 The present invention relates to a method of assignment of address information in a digital transmission system, in particular a digital broadcast system such as a digital television system.

Existing digital television systems transmit data in the form of discrete transport stream packets or transport packets, each packet being of a predetermined length and  
10 containing a header and a payload. In a given transmission system, a central transmission station transmits one or more packet streams "over the air" to a field of decoders which receive and re-assemble the packet stream. Each station may transmit a number of packet streams on a number of separate frequencies.

15 The packet header of packets in the stream comprises general descriptive data regarding the packet, whilst the payload comprises the data to be processed at the receiver. The packet header includes at least a packet ID or PID identifying the packet. The payload of the packet may contain audio, video or other data such as data obtained by a central transmission station from an internet connection. This sort of  
20 data within the payload of a PID packet may itself further be divided into a number of tables or sections, identified by a table ID or TID value and, in a yet further precision, a TID extension value. The MPEG-2 standard is the currently favoured standard in this domain and sets out a predetermined format for such packets.

25 In digital broadcast systems, decoders previously used merely for conditional access or to decode the MPEG-2 coded signals now include a number of increasingly sophisticated functions. In particular, a number of systems have been proposed using a decoder, operating independently or in combination with a PC to provide links to the internet to enable a user to browse the internet. Often, a hybrid  
30 broadcast/telecommunication configuration is used whereby web pages are requested by a decoder via a telecom link to a central station and obtained and transmitted by the central station via the broadcast link to the decoder.

-2-

Internet data is itself organised according to the TCP/IP protocol which sets out, inter alia, a predetermined format for such data (so-called "datagrams"). To enable the free circulation of datagram information between networks, a datagram packet includes addresses at a number of levels. In particular, each datagram is normally addressed at the network layer with an IP address and at the datalink layer with a medium access control or MAC address.

Sending a message to a given network user usually involves addressing the user with both its MAC and IP addresses, although methods exist within subnets to determine MAC addresses using just IP addresses. Unlike the IP address which is assigned by a network manager, the MAC address is normally fixed in a device at the moment of its manufacture.

The incorporation of internet format datagrams in broadcast transport packets has required the development of a number of standards to regulate the encapsulation process. In the MPEG related standard ISO 13818-6 a format for such data using DSM-CC carousels within the stream is defined.

Work done by other groups, notably the Digital Video Broadcasting or DVB group, complements and elaborates on this standard. In particular, the DVB proposed ETSI standard EN 301 192 sets out the standard format for a table or section within an MPEG-2 transport packet adapted to carry IP datagrams. The standard indicates how such datagrams, addressed to a user by MAC and IP addresses are incorporated in a table or section encapsulated within a transport packet in the transport stream, and indicate what other information should normally be present in such sections.

In a first embodiment, the present invention is concerned with an optimised method for transmission of addressed messages encapsulated within a broadcast transport stream, in particular but not exclusively, IP datagrams incorporated within a section of an MPEG-2 transport stream.

The present invention provides a method of transmission of digital information in a

digital broadcast system comprising a central transmission station and at least one decoder, the central station transmitting at least one transport stream comprising a stream of packets encapsulating data sections within their payloads, at least one encapsulated section including an access control address used to control the reception thereof by at least one decoder, the access control address being defined by the central transmission station and communicated to said at least one decoder in an address assignment message.

According to a first embodiment of the invention, there is provided a method of transmission of digital information in a digital broadcast system comprising a central transmission station and one or more decoders, the central station transmitting at least one transport stream comprising a stream of packets encapsulating data tables or sections within their payloads, one or more encapsulated sections including an access control address used to control the reception of that section by one or more decoders and characterised in that the access control address is defined by the central transmission station and communicated to the or each decoder in an address assignment message.

In conventional broadcast and network systems, a fixed medium access control address is normally used. This may correspond, for example, to the MAC address fixed in the modem card of the decoder at the moment of its manufacture. In such a system the central transmission station has no control over this value, which is communicated from a decoder to the central station, or to the nearest router in charge of routing the datagram.

In contrast, in the present invention, the central transmission station is responsible for the assignment of access control values to decoders within the system, opening the way to a dynamic assignment of such values and a fuller control at the level of the central transmission station of the number and format of the addresses to be handled by the system.

Whilst the present application refers to a central transmission station, it is to be

-4-

understood that the assignment of address messages may in practice be handled by a physically separate routing device reporting to the transmitting station responsible for the broadcasting of information.

5 Preferably, the section corresponds to a datagram section used to contain internet protocol data, the data contained within the section also including an internet protocol address. However, as will be understood, the invention may equally be applied to other types of data contained within a table or section encapsulated within a packet transport stream and addressed to one or more decoders by an access control address.

10

As discussed above, in hybrid telecom/broadcast systems, a decoder will normally send a request for example for internet protocol data via the telecom link and receive the downloaded information via a broadcast link, within a data section identified with an access control address and encapsulated within the transport packet stream.

15

However, in one embodiment, some or all of the section data destined for one or more decoders and identified by an access control address may also be communicated from the central transmission station to the or each decoder via a telecommunications network. In particular, internet data may be transmitted via the telecom network using

20

the access control address.

Preferably, a decoder may also send a request for an access control address to the central station via such a telecommunications network. In a similar manner, the address assignment message may also be communicated back from the central

25

transmission station to that decoder using a telecommunications network link.

The use of a telecom link to request and obtain the assigned access control address enables a decoder to rapidly obtain an access control address to be used thereafter in communicating information obtained during a session of browsing the internet.

30

Preferably, the address request message sent by a decoder includes an internet protocol number identifying that decoder to the central transmission station. This IP number

-5-

is normally assigned by the network manager or broadcast operator and may be used as to identify a decoder in addition to or as an alternative to an ID value assigned by an operator to its subscribers.

- 5      Advantageously, the address request message sent by the decoder also includes an indication of whether the decoder wishes to receive messages in a unicast or multicast mode. In response to this demand, the central transmitting station will then transmit a unique or shared control address in the address assignment message.
- 10     A unique address may be required, for example, in the case of an internet browsing session, where a user will be supplied by the central station with specific web pages in response to specific requests from a user, whilst a multicast address may be used to address information destined for a group of users.
- 15     In the case of a unicast address, this may be a dynamic address assigned at the beginning of a session, in response to the address request received from the decoder. Alternatively, an address may be assigned at the first connection of a user to the central transmitting station and used thereafter in all subsequent communications.
- 20     In addition to unicast and multicast request information, the address request message may also include an indication of whether the decoder will remain connected to receive data via a telecommunications network after the communication of the address request message.
- 25     As described above, the central transmission station may broadcast data on a number of transport packet streams and on number of services within each transport packet stream. Preferably, the address assignment message further includes information to enable the or each decoder to select a packet transport stream containing the data associated with the access control address amongst a plurality of transport packet
- 30     streams.

Additionally, the address assignment message may further include information to

-6-

enable the or each decoder to select the service containing the data associated with the access control address from a plurality of services within a transport packet stream.

5 Since a service may also be associated with different types of data or data streams (audio, visual, IP data etc.), the address assignment message may also include information regarding the data streams carried by that service and identifying the data stream containing the packetised data associated with the assigned access control address.

10 The central transmission station may also dynamically control the transport packet stream and/or service on which the addressed data is to be carried, so as to optimise the broadcast of information amongst and within one or more transport streams.

15 In the case, for example, of a digital broadcast system associated with a conditional access system, some or all of the section data transmitted by the central control station may be encrypted.

20 The above embodiments of the invention have been described in relation to a digital broadcast system, such as a digital television system. However, the dynamic assignment of MAC addresses may also be applied to other systems such as, for example, systems using exclusively a fixed telecommunications network.

25 Viewed from another aspect, the present invention comprises a method of communication of datagram packets in a digital communication network comprising at least one central control station and a plurality of remote terminals, in which the datagram packets include at least a medium access control address associated with one communication layer of the network and an internet protocol address associated with a second communication layer of the network, and in which medium access control addresses are dynamically assigned by the central control station in response to a request from a remote terminal.

30

The present invention also provides apparatus for transmitting a transport stream

-7-

comprising a stream of packets encapsulating data sections within their payloads to a decoder, at least one encapsulated section including an access control address used to control reception thereof by a decoder, said apparatus comprising means, for example, a server, for defining the access control address, and means, for example, a transmitter, for communicating to said decoder the access control address in an address assignment message.

Features described above relating to method aspects of the present invention can also be applied to apparatus aspects, and vice versa.

10

The term "receiver/decoder" or "decoder" used herein may connote a receiver for receiving either encoded or non-encoded signals, for example, television and/or radio signals, which may be broadcast or transmitted by some other means. The term may also connote a decoder for decoding received signals. Embodiments of such receiver/decoders may include a decoder integral with the receiver for decoding the received signals, for example, in a "set-top box", a decoder functioning in combination with a physically separate receiver, or a decoder including additional functions, such as a web browser, or a decoder integrated with other devices such as a video recorder or a television.

20

The term "decoder" or "receiver/decoder" in this context also includes decoder/PC configurations, in which some or all of the functions relating to the present invention may be handled by the PC, such as sending an address request message via the modem of the PC etc.

25

As used herein, the term "digital broadcast system" includes any digital system broadcasting information from a central station to a plurality of users in a known broadcasting format and including for example any satellite, terrestrial, cable or other digital television system.

30

The term MPEG refers to the data transmission standards developed by the International Standards Organisation working group "Motion Pictures Expert Group"

and in particular but not exclusively the MPEG-2 standard developed for digital television applications and set out in the documents ISO 13818-1, ISO 13818-2, ISO 13818-3 and ISO 13818-4 together with the MPEG related DSM-CC standard ISO 13818-6. In the context of the present patent application, the term includes all  
5 variants, modifications or developments of MPEG formats applicable to the field of digital data transmission.

In relation to DVB or ETSI standards, these include all standards proposed by DVB and/or accepted by ETSI related to the field of digital television, and all variants,  
10 modifications or developments thereof. In particular, in the present application, reference is made to the ETSI standard EN 301 192.

There will now be described, by way of example only, a preferred embodiment of the invention, with reference to the following figures, in which:

15 Figure 1 shows the overall architecture of a known digital TV system as may be adapted in accordance with the present invention;

Figure 2 shows the architecture of the conditional access system of Figure 1;

20 Figure 3 shows the hierarchy of MPEG-2 packets in a transport packet stream;

Figure 4 shows the syntax of a DSM-CC datagram section used to encapsulate IP data;

25 Figure 5 shows the mapping of a MAC address with the datagram section shown in Figure 4;

Figure 6 shows the architecture of a hybrid broadcast and telecom network system according to this embodiment of the invention; and

30 Figure 7 shows the elements of the service address message sent from the broadcast centre to a user according to this embodiment.



### Digital Television System

Before describing in detail an embodiment of the invention, there will now be described an overview of a known system by way of background.

5

A digital television broadcast and reception system 1 is shown in Figure 1, comprising a mostly conventional digital television system 2 which uses the MPEG-2 compression system to transmit compressed digital signals. In more detail, MPEG-2 compressor 3 in a broadcast centre receives a digital signal stream (for example a stream of audio, video or general data signals). The compressor 3 is connected to a multiplexer and  
10 scrambler 4 by linkage 5. The multiplexer 4 receives a plurality of further input signals, assembles one or more transport streams and transmits compressed digital signals to a transmitter 6 of the broadcast centre via linkage 7.

15 The transmitter 6 transmits electromagnetic signals via uplink 8 towards a satellite transponder 9, where they are electronically processed and broadcast via a notional downlink 10 to earth receiver 11, conventionally in the form of a dish owned or rented by the end user. The signals received by receiver 11 are transmitted to an integrated receiver/decoder 12 owned or rented by the end user and connected to the end user's  
20 television set 13. The receiver/decoder 12 decodes the compressed MPEG-2 signal into a television signal for the television set 13.

As will be described below, the decoder 12 may also be connected with a PC, in particular where the user is using the decoder to provide internet access. As will be  
25 further understood, whilst the invention will be described primarily in relation to a satellite broadcast system, it may equally be used in relation to a cable TV or terrestrial television based system.

A conditional access system 20 is connected to the multiplexer 4 and the  
30 receiver/decoder 12, and is located partly in the broadcast centre and partly in the decoder. It enables the end user to access digital television broadcasts from one or more broadcast suppliers. A smartcard, capable of decrypting messages relating to

-10-

commercial offers (that is, one or several television programmes sold by the broadcast supplier), can be inserted into the receiver/decoder 12. Using the decoder 12 and smartcard, the end user may purchase events in either a subscription mode or a pay-per-view mode.

5

An interactive system 17, also connected to the multiplexer 4 and the receiver/decoder 12 and again located partly in the broadcast centre and partly in the decoder, may be provided to enable the end user to interact with various applications via a modemmed back channel 16. In particular, in the case where the decoder is used to provide internet access, information between the decoder and broadcast centre may be passed via the modem channel as well being broadcast via the satellite link. This type of hybrid broadcast and telecom system is known in the art.

The conditional access system 20 will now be described in more detail. With reference to Figure 2, in overview the conditional access system 20 includes a Subscriber Authorization System (SAS) 21. The SAS 21 is connected to one or more Subscriber Management Systems (SMS) 22, one SMS for each broadcast supplier, by a respective TCP-IP linkage 23 (although other types of linkage could alternatively be used). Alternatively, one SMS could be shared between two broadcast suppliers, or one supplier could use two SMSs, and so on.

First encrypting units in the form of ciphering units 24 utilising "mother" smartcards 25 are connected to the SAS by linkage 26. Second encrypting units again in the form of ciphering units 27 utilising mother smartcards 28 are connected to the multiplexer 4 by linkage 29. The receiver/decoder 12 receives a "daughter" smartcard 30 by the decoder to decrypt messages encrypted by the "mother" smartcard. It is connected directly to the SAS 21 by Communications Servers 31 via the modemmed back channel 16. The SAS sends, amongst other things, subscription rights to the daughter smartcard on request.

30

The first and second ciphering units 24 and 27 comprise a rack, an electronic VME card with software stored on an EEPROM, up to 20 electronic cards and one

-11-

smartcard 25 and 28 respectively, for each electronic card, one card 28 for encrypting the ECMs and one card 25 for encrypting the EMMs.

### **Multiplexer and Scrambler**

5

With reference to Figures 1 and 2, in the broadcast centre, the digital audio or video signal is first compressed (or bit rate reduced), using the MPEG-2 compressor 3. This compressed signal is then transmitted to the multiplexer and scrambler 4 via the linkage 5 in order to be multiplexed with other data, such as other compressed data.

10

The scrambler generates a control word used in the scrambling process and included in the MPEG-2 stream in the multiplexer. The control word is generated internally and enables the end user's integrated receiver/decoder 12 to descramble the programme.

15

Access criteria, indicating how the programme is commercialised, are also added to the MPEG-2 stream. The programme may be commercialised in either one of a number of "subscription" modes and/or one of a number of "Pay Per View" (PPV) modes or events. In the subscription mode, the end user subscribes to one or more commercial offers, or "bouquets", thus getting the rights to watch every channel inside those bouquets. In the preferred embodiment, up to 960 commercial offers may be selected from a bouquet of channels.

20

### **Entitlement Control Messages**

25

Both the control word and the access criteria are used to build an Entitlement Control Message (ECM). This is a message sent in relation with a scrambled program; the message contains a control word (which allows for the descrambling of the program) and the access criteria of the broadcast program. The access criteria and control word are transmitted to the second encrypting unit 27 via the linkage 29. In this unit, an ECM is generated, encrypted and transmitted on to the multiplexer and scrambler 4. During a broadcast transmission, the control word typically changes every few

30

-12-

seconds, and so ECMs are also periodically transmitted to enable the changing control word to be descrambled. For redundancy purposes, each ECM typically includes two control words; the present control word and the next control word.

5     **Entitlement Management Messages (EMMs)**

The EMM is a message dedicated to an individual end user (subscriber), or a group of end users. Each group may contain a given number of end users. This organisation as a group aims at optimising the bandwidth; that is, access to one group can permit the reaching of a great number of end users. Various specific types of EMM can be used. Individual EMMs are dedicated to individual subscribers, and are typically used in the provision of Pay Per View services; these contain the group identifier and the position of the subscriber in that group. Other EMM types include group or audience EMMs.

15

**Subscriber Management System (SMS)**

A Subscriber Management System (SMS) 22 includes a database 32 which manages, amongst others, all of the end user files, commercial offers, subscriptions, PPV details, and data regarding end user consumption and authorization. The SMS may be physically remote from the SAS. Each SMS 22 transmits messages to the SAS 21 via respective linkage 23 which imply modifications to or creations of Entitlement Management Messages (EMMs) to be transmitted to end users.

25     The SMS 22 also transmits messages to the SAS 21 which imply no modifications or creations of EMMs but imply only a change in an end user's state (relating to the authorization granted to the end user when ordering products or to the amount that the end user will be charged).

30     The SAS 21 sends messages (typically requesting information such as call-back information or billing information) to the SMS 22, so that it will be apparent that communication between the two is two-way.

-13-

**Subscriber Authorization System (SAS)**

The messages generated by the SMS 22 are passed via linkage 23 to the Subscriber Authorization System (SAS) 21, which in turn generates messages acknowledging receipt of the messages generated by the SMS 21 and passes these acknowledgements to the SMS 22.

In overview the SAS comprises a Subscription Chain area to give rights for subscription mode and to renew the rights automatically each month, a Pay Per View Chain area to give rights for PPV events, and an EMM Injector for passing EMMs created by the Subscription and PPV chain areas to the multiplexer and scrambler 4, and hence to feed the MPEG stream with EMMs. If other rights are to be granted, such as Pay Per File (PPF) rights in the case of downloading computer software to a user's Personal Computer, other similar areas are also provided.

One function of the SAS 21 is to manage the access rights to television programmes, available as commercial offers in subscription mode or sold as PPV events according to different modes of commercialisation (pre-book mode, impulse mode). The SAS 21, according to those rights and to information received from the SMS 22, generates EMMs for the subscriber in combination with the ciphering unit 24.

**Programme Transmission**

The multiplexer 4 receives electrical signals comprising encrypted EMMs from the SAS 21, encrypted ECMs from the second encrypting unit 27 and compressed programmes from the compressor 3. The multiplexer 4 scrambles the programmes and sends the scrambled programmes, the encrypted EMMs and the encrypted ECMs to a transmitter 6 of the broadcast centre via the linkage 7. The transmitter 6 transmits electromagnetic signals towards the satellite transponder 9 via uplink 8.

30

**Programme Reception**

-14-

The satellite transponder 9 receives and processes the electromagnetic signals transmitted by the transmitter 6 and transmits the signals on to the earth receiver 11, conventionally in the form of a dish owned or rented by the end user, via downlink 10. The signals received by receiver 11 are transmitted to the integrated receiver/decoder 12 owned or rented by the end user and connected to the end user's television set 13. The receiver/decoder 12 demultiplexes the signals to obtain scrambled programmes with encrypted EMMs and encrypted ECMs.

If the programme is scrambled, the receiver/decoder 12 extracts the corresponding ECM from the MPEG-2 stream and passes the ECM to the "daughter" smartcard 30 of the end user. This slots into a housing in the receiver/decoder 12. The daughter smartcard 30 controls whether the end user has the right to decrypt the ECM and to access the programme. If not, a negative status is passed to the receiver/decoder 12 to indicate that the programme cannot be descrambled. If the end user does have the rights, the ECM is decrypted and the control word extracted. The decoder 12 can then descramble the programme using this control word. The MPEG-2 stream is decompressed and translated into a video signal for onward transmission to television set 13.

As will be appreciated, the same conditional access principles used in the encryption and decryption of audiovisual data can be used to encrypt other data, such as file data destined for a PC connected to the decoder, data gathered via an internet connection and broadcast via the satellite link etc.

#### **Organisation of Data Tables within the Transport Stream**

As shown in Figure 3, a broadcast MPEG-2 data transport stream contains a number of packets of standard format, including a programme association table 40 ("PAT"). The PID in the header of the packet is fixed by the MPEG-2 standard for this packet at a value of 0x00. The programme access table 40 provides the entry point for access to programme data and contains a table referring to the PID values of the programme map tables ("PMT") 41, 42 associated with a given service or channel within the

-15-

stream. Each programme map table 41, 42 contains in turn a reference to the PID values of the packet streams of the audio tables 43 and video tables 44 associated with that service.

- 5 As shown, the programme map table 42 also contains references to the PID values of other packets 45, 46, 47 containing additional data relating to the service in question such as ECM data 45, 46. In particular, internet protocol or IP data 47 may be carried by a service in packets accessed via the PAT table 40. In a MPEG-2 standard transport stream, such data is organised in DSM-CC data and object carousels within  
10 specific sections of the transport stream. For further detail regarding the DSM-CC format, the reader is referred to the MPEG related standard ISO 13818-6.

- In addition to the programme access table PAT 40, the MPEG transport stream further comprises a conditional access table 51 ("CAT"), the PID value of which is fixed at  
15 0x01. Any packet headers containing this PID value are thus automatically identified as containing access control information. The CAT table 51 refers to the PID values of MPEG packets 48, 49, 50 referring to EMM data associated with one or more conditional access systems. As with the PMT packets, the PID values of the EMM packets referred to in the CAT table 51 are not fixed and may be determined at the  
20 choice of the system operator.

The MPEG-2 standard specifies very few fixed PID values outside of the PAT table value and the CAT table value referred to above. The majority of PID values within a certain range may therefore be determined by an operator.

25

#### **Format of Transport Packets and Private Section Data**

- As is known, MPEG transport packets are of a fixed length of 188 bytes including a header. In a standard packet, the three bytes of the header following the  
30 synchronisation data comprise:

TABLE I	Transport error indicator	1 bit
---------	---------------------------	-------

-16-

	Payload unit indicator	1 bit
	Transport priority	1 bit
	PID	13 bits
	Transport scrambling control	2 bits
5	Adaptation field control	2 bits
	Continuity counter	4 bits

The characteristics of these fields are largely determined by the MPEG standard.

- 10 The above describes the format of the header of a transport packet. In conformity with the MPEG-2 standard, information contained with a packet payload is subject to a further level of structure according to the type of data being transported. In the case of audio, visual, teletext, subtitle or other such rapidly evolving and synchronised data, the information is assembled in the form of what is known as a packetised elementary
- 15 stream or PES. This data stream, which is formed by assembling the payloads of the transmitted packets, itself comprises a sequence of packets, each packet comprising a packet header and payload. Unlike the transmitted packets in the transport stream, the length of PES packets is variable.
- 20 In the case of other types of data, such as IP or ECM and EMM data, a different format from PES packeting is proscribed. In particular, data contained in the transport packet payload is divided into a series of sections or tables, the table or section header including a table ID or TID identifying the table in question.
- 25 Depending on the size of the data, a table may be contained entirely within a packet payload or may be extended in a series of sections over a number of transport packets. In such a case, each section will include a TID extension value. In the MPEG-2 context, the term "table" is often used to refer to a single table of data or the amalgamation of a number of sections of the same TID value to form a table, whilst
- 30 "section" usually refers to one of a plurality of tables with the same TID value.

The actual TID values used to refer to information carried in these tables or sections



-17-

are not fixed by the MPEG-2 standard and may be normally defined at the discretion of the operator of a service or bouquet of services. However, as will be described below, in the case of a DSM-CC section, the TID value is fixed by the DVB proposed ETSI standard EN 301 192 at a predetermined value.

5

As with transport packet data and PES packet data, the data structure or syntax of a table or section is also defined by the MPEG-2 standard. Two possible syntax forms for private table or section data are proposed; a long form or a short form. For further information regarding table syntax, the reader is referred to the MPEG-2 standard.

10

### **Encapsulation of Internet Protocol Data in the Transport Stream**

In order to better understand the use of different addresses in the communication of internet protocol data, it may be helpful to consider the situation in relation to conventional fixed telecom networks, for example, as found in a standard PC/server network environment. In such a network a number of layers are usually defined as per the OSI networking model, the bottom three usually comprising a physical layer, a datalink layer and a network layer.

20 The physical layer represents the lowest layer and corresponds to the physical modem/cable connections used to transport information.

The datalink layer corresponds to the data format imposed by the hardware elements within a network, for example the well-known Ethernet and Token Ring formats. Messages are communicated at this layer using Media Access Control or MAC addresses. Conventionally, MAC addresses are fixed value 6 byte addresses. These addresses are built-in at manufacture of the devices and are stored in permanent form, for example, in the Ethernet or Token Ring card of the hardware device present in the network.

30

The network layer corresponds to the layer above the datalink layer. Messages operating at this layer are encapsulated within datalink layer messages of the kind

-18-

described above. In the case of internet information, this layer is associated with the Internet Protocol or IP format, the destination of messages at this level being identified by IP addresses. These IP addresses are 4 bytes long and, in contrast with MAC address values, are assigned by a network manager to a given user.

5

For the example of an IP message sent via an Ethernet wire the following message structure will be observed:

10            Ethernet Header  
              (with 6 byte MAC address)  
              IP header  
                 (with 4 byte IP address)  
              Actual data  
              IP Trailer  
15            Ethernet Trailer

20            This type of structure is also preserved in the case of IP messages or datagrams encapsulated within a table or section of an MPEG broadcast transport stream. This in part reflects the hybrid nature of most broadcast systems, where a decoder may send and receive messages either via a telecom connection or over the air. In such circumstances it is obviously desirable to have a coherent addressing policy for IP datagrams sent via either branch of the system.

25            The DVB proposed ETSI standard EN 301 192 sets out a standard format for MPEG sections carrying IP datagram information. Figure 4 shows the syntax of such a section.

30            Although the PID value of such a section is dependent on that assigned by the PMT table, the TID value for IP datagrams is in fact fixed by the standard at the value 0x3E, corresponding to a DSM-CC section with private data.

As will be seen from Figure 4, the 6 bytes of the MAC address value of the particular

-19-

device to be addressed by the section are spread out in the section 47. Figure 5 shows the reconstitution of the MAC 52 address within the section 47.

As further shown in Figure 4, the standard foresees the possibility of the IP data carried in the section being scrambled, as indicated by the payload\_scrambling\_control field. The MAC address itself may also be as indicated by the address\_scrambling\_control field. Depending on the value of these fields, a receiver/decoder will carry out (if necessary) decryption of the address or payload data in a similar manner as decryption of audiovisual programmes is carried out using the conditional access system. See the description of Figures 1 and 2.

As is conventional, the section also indicates its extension number given by the section\_number field as well as the total number of sections making up the complete table, as given by the last\_section\_number field.

15

### **System Architecture and Management of Addresses**

Referring to Figure 6, there will now be described the system architecture of a hybrid broadcast and telecom communication system adapted to handle variable MAC addresses.

20

As before, the broadcast centre includes a transmitter 6 sending a digital television signal via a satellite 9 to a receiver 11 and decoder 12. In the present example, the home system further comprises a PC device 55 connected to the decoder 12. The PC device communicates via a modem channel 56 to a central transmission station 60 including a service address allocation server 57 and an IP broadcast server 58 present at the broadcast centre.

25

The respective functions of the servers 57, 58 in handling variable addresses data and inserting IP data in the transport stream will be described in more detail below. Whilst the division of these functions between two servers is a convenient way of handling such data, other configurations are of course possible, e.g. using a single

30

-20-

server for all functions.

The configuration of PC 55 and decoder 12 is particularly adapted for a user who wishes to browse the web since the greater processing power of the PC enables it to better handle the volumes of IP data that may be downloaded via the satellite link or via a direct modem connection. However, the use of a PC is not obligatory, particularly if a decoder is provided with its own modem and sufficient processing power to operate independently.

As mentioned above, the system shown in Figure 6 uses a hybrid broadcast/telecom architecture. In practice, data flows in this system in a largely clockwise direction, requests for internet data from the PC/decoder combination 12, 55 being forwarded via the telecom link 56 to the broadcast servers 57, 58 which process the request and download the internet data via the satellite broadcast link 9. The system may also be configured to download data to the PC/decoder combination via the telecom network 56, for example in the case of a bottleneck or malfunction in the transmission of data via the satellite link 9. As shown by the arrow 59, internet or IP data is gathered by the IP broadcast server 59 for example from any number of external servers and prepared for insertion into the broadcast transport stream.

20

In conventional systems, the manufacturer defined MAC addresses in the modem communication card of the PC or the decoder are normally used to address datalink layer communications from the broadcast centre to the PC/decoder. These fixed addresses are communicated from the PC/decoder to the broadcast centre and thereafter inserted in the datagram sections of the transport stream intended for a particular PC or decoder.

25

In the present embodiment, a rather different system is proposed. Upon connection of the PC/decoder at the start of a session, the PC 55 sends a MAC address request message to the broadcast centre via the telecom network 56. This message includes at least the IP address of the user to enable the broadcast centre to identify the user in question. As will be recalled, the IP address is a normally unique network level

30

-21-

address assigned by a network manager (or broadcast operator) upon the opening of an internet subscription.

5 In addition to the IP address, the request message may also include an operator ID corresponding to the general subscription ID of the user to access the services of the broadcast operator.

The request message may also further include an indication of the type of service demanded. As will be described below, three types of service are normally foreseen;  
10 (i) a connected unicast service, where the user remains in full modem connection throughout a session, (ii) a non-connected unicast service where, apart from the initial configuration message, the PC/decoder is not connected via its modem, and (iii) a multicast service. These different services will be reflected in the assignment of different MAC addresses.

15

In the connected unicast mode, the user is provided with a full internet service and can request internet data via the telecom link 56, this data being sent uniquely to the user in question. In the non-connected unicast mode, the user can receive data autonomously sent by the broadcast centre but still uniquely destined for that user.  
20 In a multicast mode, the user forms part of group of users (which may be all or a subset of the users in the network) who receive the same messages.

Upon receipt of the request message, the service address allocation server prepares a service address message of the kind shown in Figure 7 which is then sent back to the  
25 user. As shown, the message includes a number of data elements that will be needed by the PC/decoder to access the broadcast data, including the so-called DVB triplet of the Original Network ID 60, Transport Stream ID 61 and Service ID 62. The message also includes a data list descriptor 63 containing a list of the types of data carried by that service together with their PID value (PID video, PID audio, PID IP data, PID  
30 ECM etc.). Using the network, transport stream and service identity values and the information in the data list descriptor, the decoder will proceed via the PAT and PMT tables referred to above to arrive at the service containing the data in question.

-22-

The service address message also includes the TID value 64 of the data section addressed to the decoder/PC. However, as indicated above, in the case of IP data carried in a DSM-CC format this value is normally fixed by the ETSI standard at 0x3E.

5

Finally, the service address message includes an assigned MAC address value shown at 65. Unlike conventional systems, in which the PC or decoder normally send their manufacturer fixed MAC value to the broadcast centre, the MAC address 65 is generated by the service address allocation server 57, which maintains a database of the assigned MAC values together with the cross-linked IP address and operator ID values.

10

The MAC address assigned will depend in part on the type of service requested; unicast connected, unicast non-connected or multicast. A unicast connected address is assigned for a given session and is variable from session to session. A unicast non-connected address may be variable, but may also be a fixed value assigned at the moment of subscription, or upon the first connection of the user and thereafter maintained as long as that user maintains his subscription. Finally, a multicast address corresponds to an address assigned by the server to a particular IP service and which may be received by any decoder within a group that has obtained access to the MAC address. This may even include decoders or PC/decoder combinations not possessing a modem back channel or telecom connection to the broadcast centre.

15

20

The MAC address assigned may also depend on other service factors, such as bandwidth reservation, presence or absence of conditional access etc.

25

The assignment of MAC addresses in this way enables the central broadcast servers 57, 58 to dynamically repartition the IP data sent to a particular decoder or a group of decoders and to minimise the number of MAC addresses to be handled and addressed at any time. This avoids the problem of having a large number of dormant MAC addresses reserved in the transport stream as well as enabling the central servers to manage a smaller number of changing users.

30

-23-

The use of a group MAC address in a multicast mode enables certain IP data of interest to all decoders in a set (for example, the home page of the broadcast operator) to be accessed via a single point of entry and avoids the repetition of information in the use of a plurality of user specific tables.

5

Furthermore, the system permits the dynamic assignment of data across a number of MPEG services within a transport stream. As shown in Figure 7, the service address message also includes a variable DVB triplet address, enabling the central broadcast servers to assign IP data to unused services within the transport stream as they become available. The choice of MPEG service can take into account, for example, the user's rights to access some or all of the service within the transport stream as determined by the appropriate conditional access system. A secure transmission of data can therefore also be assured.

10

15 This dynamic repartition of services and data as determined by the broadcasting server 58 and service address allocation server 57 enables optimal use of the available bandwidth. Whilst the system has been described in relation to a satellite broadcast system, the same principles apply to cable television or digital television systems or indeed any system carrying data in a broadcast format packet stream, such as an  
20 MPEG transport stream.

In a yet broader context, the invention may even be applied to any system including address information at a datalink layer and a network layer which conventionally uses fixed media access control addresses in the datalink layer including networks  
25 comprising solely telecom connections.

**CLAIMS**

1. A method of transmission of digital information in a digital broadcast system comprising a central transmission station and at least one decoder, the central station transmitting at least one transport stream comprising a stream of packets encapsulating data sections within their payloads, at least one encapsulated section including an access control address used to control the reception thereof by at least one decoder, the access control address being defined by the central transmission station and communicated to said at least one decoder in an address assignment message.
2. A method as claimed in claim 1, wherein said at least one encapsulated section corresponds to at least one datagram section used to contain internet protocol data, the data contained within a datagram section also including an internet protocol address.
3. A method as claimed in claim 1 or claim 2, in which said at least one encapsulated section transmitted to said at least one decoder and identified by an access control address is communicated from the central transmission station to said at least one decoder via a telecommunications network.
4. A method as claimed in any preceding claim, in which the address assignment message is sent in response to an access control address request sent to the central station by a decoder.
5. A method as claimed in claim 4 in which an address assignment message is communicated back to that decoder from the central transmission station via a telecommunications network.
6. A method as claimed in claim 4 or 5, in which the address request message sent by a decoder includes an internet protocol number identifying that decoder to the central transmission station.



-25-

7. A method as claimed in any of claims 4 to 6, in which the address request message includes an operator identity value associated with the subscription of the owner of the decoder to the services proposed by an operator broadcasting information via the central transmitting means.
- 5 8. A method as claimed in any of claims 4 to 7 in which the address request message includes an indication of whether the decoder wishes to receive messages in one of a unicast and a multicast mode.
- 10 9. A method as claimed in claim 8 in which the address assignment message sent by central transmitting station contains a unique access control address in response to a unicast address request and a shared control address in response to a multicast address request.
- 15 10. A method as claimed in claim 9 in which the unicast address is a dynamic address assigned at the beginning of a session, in response to the address request received from the decoder.
- 20 11. A method as claimed in any of claims 4 to 10, in which the address request message includes an indication of whether the decoder will remain connected to receive data via a telecommunications network after the communication of the address request message.
- 25 12. A method as claimed in any preceding claim in which the address assignment message further includes information to enable said at least one decoder to select a packet transport stream containing the data associated with the access control address amongst a plurality of transport packet streams.
- 30 13. A method as claimed in any preceding claim in which the address assignment message further includes information to enable said at least one decoder to select the service containing the data associated with the access control address from a plurality of services within a transport packet stream.

-26-

14. A method as claimed in claim 13 in which the address assignment message further includes information regarding the data streams carried by that service and identifying the data stream containing the packetised data associated with the assigned access control address.

5

15. A method as claimed in any preceding claim in which the central transmission station dynamically controls which transport packet stream amongst a plurality of transport packet streams is used to carry encapsulated packet data addressed for said at least one decoder.

10

16. A method as claimed in any preceding claim in which the central transmission station dynamically controls which service amongst a plurality of services on which encapsulated packet data addressed to said at least one decoder is broadcast.

15

17. A method as claimed in any preceding claim in which at least some of the data encapsulated within a packet payload is encrypted.

18. A method of transmission of digital information in a digital broadcast system substantially as herein described.

20

19. A method of communication of datagram packets in a digital communication network comprising at least one central control station and a plurality of remote terminals, in which the datagram packets include at least a medium access control address associated with one communication layer of the network and an internet protocol address associated with a second communication layer of the network, and in which medium access control addresses are dynamically assigned by the central control station in response to a request from a remote terminal.

25

20. A method of communication of datagram packets in a digital communication network substantially as herein described.

30

21. Apparatus for transmitting a transport stream comprising a stream of packets

-27-

encapsulating data sections within their payloads to a decoder, at least one encapsulated section including an access control address used to control reception thereof by a decoder, said apparatus comprising means for defining the access control address, and means for communicating to said decoder the access control address in an address assignment message.

22. Apparatus as claimed in claim 21, wherein said at least one encapsulated section corresponds to at least one datagram section used to contain internet protocol data, the data contained within a datagram section also including an internet protocol address.

23. Apparatus as claimed in claim 21 or 22, comprising means for communicating to said decoder via a telecommunications network at least one encapsulated section identified by an access control address.

24. Apparatus as claimed in any of claims 21 to 23, comprising means for receiving from a decoder an access control address request, said apparatus being adapted to communicate the address assignment message to the decoder in response to said request.

25. Apparatus as claimed in claim 24, adapted to communicate said address assignment message to said decoder via a telecommunications network.

26. Apparatus as claimed in claim 24, wherein the address assignment message contains a unique access control address in response to a unicast address request and a shared control address in response to a multicast address request.


27. Apparatus as claimed in claim 26, wherein the unicast address is a dynamic address assigned at the beginning of a session, in response to the address request received from a decoder.


28. Apparatus as claimed in any of claims 21 to 27, wherein the address assignment message further includes information to enable said decoder to select a

-28-


packet transport stream containing the data associated with the access control address amongst a plurality of transport packet streams.

29. Apparatus as claimed in any of claims 21 to 28, wherein the address assignment message further includes information to enable said decoder to select the service containing the data associated with the access control address from a plurality of services within a transport packet stream.
30. Apparatus as claimed in claim 29, wherein the address assignment message further includes information regarding the data streams carried by that service and identifying the data stream containing the packetised data associated with the assigned access control address.
31. Apparatus as claimed in any of claims 21 to 30, comprising means for dynamically controlling which transport packet stream amongst a plurality of transport packet streams is used to carry encapsulated packet data addressed for said decoder.
32. Apparatus as claimed in any of claims 21 to 31, comprising means for dynamically controlling which service amongst a plurality of services on which encapsulated packet data addressed to said decoder is broadcast.
33. Apparatus as claimed in any of claims 21 to 32, comprising means for encrypting data encapsulated within a packet payload.
34. Apparatus for transmitting a transport stream comprising a stream of packets encapsulating data sections within their payloads to a decoder substantially as herein described.

**FIG. 1**

**FIG. 2**

3/6

**FIG. 3**

4/6

**FIG. 4**

Syntax	No. of bits	Mnemonic
datagram_section() {		
table_id	8	uimsbf
section_syntax_indicator	1	bslbf
private_indicator	1	bslbf
reserved	2	bslbf
section_length	12	uimsbf
MAC_address_6	8	uimsbf
MAC_address_5	8	uimsbf
reserved	2	bslbf
payload_scrambling_control	2	bslbf
address_scrambling_control	2	bslbf
LLC_SNAP_flag	1	bslbf
current_next_indicator	1	bslbf
section_number	8	uimsbf
last_section_number	8	uimsbf
MAC_address_4	8	uimsbf
MAC_address_3	8	uimsbf
MAC_address_2	8	uimsbf
MAC_address_1	8	uimsbf
if(LLC_SNAP_flag=="1"){		
LLC_SNAP()		
} else {		
for (j=0;j<N1;j++) {		
IP_datagram_data_byte	8	bslbf
}		
}		
if (section_number == last_section_number) {		
for (j=0;j<N2;j++) {		
stuffing_byte	8	bslbf
}		
}		
if(section_syntax_indicator == "0") {		
checksum	32	uimsbf
} else {		
CRC_32	32	rpchof
}		
}		



FIG. 5





FIG. 7

60	OID (ORIGINAL NETWORK ID)
61	TSID (TRANSPORT STREAM ID)
62	SID (SERVICE ID)
63	DATA LIST DESCRIPTOR
64	TID
65	MAC ADDRESS 1 to 6

**FIG. 6**



## INTERNATIONAL SEARCH REPORT

Int. Application No.

PCT/IB 00/00118

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 H04L29/06 H04L12/18 H04L29/12

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 877 499 A (SONY CORPORATION) 11 November 1998 (1998-11-11) abstract column 1, line 13 - line 56 column 4, line 13 - column 5, line 17	1-4, 18, 21-24
Y	column 55, line 39 - column 6, line 19	17, 33
Y	EP 0 866 611 A (CANAL+ SOCIETE ANONYME) 23 September 1998 (1998-09-23) abstract column 2, line 48 - column 3, line 43 column 5, line 50 - column 6, line 30	17, 33
A	EP 0 844 766 A (NOKIA TECHNOLOGY GMBH) 27 May 1998 (1998-05-27) abstract page 4, line 35 - page 5, line 15 -/-	1-34



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

## \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"G" document member of the same patent family

Date of the actual completion of the international search

13 March 2000

Date of mailing of the international search report

23/03/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

Larcinese, C

# INTERNATIONAL SEARCH REPORT

Int. Application No.

PCT/IB 00/00118

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>EP 0 848 553 A (NEXTLEVELS SYSTEMS, INC.)  17 June 1998 (1998-06-17)  abstract  page 3, line 37 -page 4, line 6</p>	1-34

# INTERNATIONAL SEARCH REPORT

information on patent family members

Inter. Application No.

PCT/IB 00/00118

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 877499	A	11-11-1998	CN 1199885 A	25-11-1998
			JP 11027322 A	29-01-1999
EP 866611	A	23-09-1998	WO 9843432 A	01-10-1998
			WO 9843421 A	01-10-1998
			NO 994544 A	22-11-1999
			AU 2770697 A	20-10-1998
			AU 7038198 A	20-10-1998
			WO 9843425 A	01-10-1998
			WO 9843426 A	01-10-1998
			WO 9843162 A	01-10-1998
			WO 9843431 A	01-10-1998
			WO 9843248 A	01-10-1998
			WO 9843165 A	01-10-1998
			WO 9843415 A	01-10-1998
			WO 9843172 A	01-10-1998
			WO 9843433 A	01-10-1998
			WO 9843427 A	01-10-1998
			WO 9843437 A	01-10-1998
			WO 9843167 A	01-10-1998
			WO 9843428 A	01-10-1998
			EP 0872798 A	21-10-1998
			EP 0866616 A	23-09-1998
			EP 0866613 A	23-09-1998
			EP 0968610 A	05-01-2000
			EP 0968609 A	05-01-2000
			EP 0968607 A	05-01-2000
			EP 0974229 A	26-01-2000
			EP 0974230 A	26-01-2000
			EP 0968468 A	05-01-2000
			EP 0968465 A	05-01-2000
			EP 0968602 A	05-01-2000
			EP 0968611 A	05-01-2000
			EP 0968608 A	05-01-2000
			EP 0968469 A	05-01-2000
			EP 0972406 A	19-01-2000
			NO 994529 A	19-11-1999
			NO 994530 A	19-11-1999
			NO 994531 A	19-11-1999
			NO 994532 A	19-11-1999
			NO 994533 A	22-11-1999
			NO 994534 A	22-11-1999
			NO 994535 A	22-11-1999
			NO 994536 A	22-11-1999
			NO 994537 A	22-11-1999
			NO 994538 A	22-11-1999
			NO 994539 A	22-11-1999
			NO 994540 A	22-11-1999
			NO 994541 A	22-11-1999
			NO 994542 A	22-11-1999
			NO 994543 A	22-11-1999
			ZA 9703605 A	10-09-1998
			ZA 9703606 A	07-09-1998
EP 844766	A	27-05-1998	FI 964640 A	28-07-1998
			FI 970186 A	17-07-1998
EP 848553	A	17-06-1998	US 6018764 A	25-01-2000

# INTERNATION SEARCH REPORT

information on patent family members

Inter. Application No

PCT/IB 00/00118

Patent document cited in search report	Publication dat	Patent family member(s)	Publication date
EP 848553	A	CA 2223095 A	10-06-1998
		CN 1195938 A	14-10-1998
		JP 10247945 A	14-09-1998